

ENGLISH

Maintenance works leading to potential capacity restrictions in 2017

Affected entries	Affected exits	Period		Potential impact on firm capacities	Remaining firm capacity [%]	Work	Affected pipeline or network	Work No.
		Start	End					
-	Wallbach	01.12.2016 (06:00)	01.03.2017 (06:00)	yes	14.141.495 kWh/h (92,4 %)	Planned maintenance works in a compressor station could impact capacities at affected entries/exits	OGE network	21016477
-	Wallbach	03.04.2017 (06:00)	30.09.2017 (06:00)	no	n/a	Planned maintenance works could impact capacities at affected entries/exits.	TENP Pipeline	21016820 (see 21018122 and 21018123)
-	Wallbach	01.03.2017 (06:00)	14.03.2017 (06:00)	yes	14.532.746 kWh/h (95 %)	Planned maintenance works could impact capacities at affected entries/exits	TENP Pipeline	21018120
		14.03.2017 (06:00)	15.03.2017 (06:00)		12.059.121 kWh/h (78,8 %)			
		15.03.2017 (06:00)	28.03.2017 (06:00)		14.532.746 kWh/h (95 %)			
-	Wallbach	14.03.2017 (06:00)	15.03.2017 (06:00)	yes	12.059.121 kWh/h (78,8 %)	Planned maintenance works in a compressor station could impact capacities at affected entries/exits	TENP Pipeline	21018109
Bocholtz	-			no	n/a			

Bocholtz	-	01.04.2017 (06:00)	04.07.2017 (06:00)	yes	13.338.676 kWh/h (87,2%)	Planned maintenance works in a gas pressure regulating station could impact freely allocable capacities (FAC) *the difference to the technical available capacity of 13.338.676 kWh/h represents a capacity restriction of restricted allocable capacities (RAC)	TENP Pipeline	04021985
		04.07.2017 (06:00)	05.07.2017 (06:00)	yes	12.953.176* kWh/h (84,7%)			
		05.07.2017 (06:00)	18.07.2017 (06:00)	yes	13.338.676 kWh/h (87,2%)			
		18.07.2017 (06:00)	19.07.2017 (06:00)	yes	10.036.226 * kWh/h (65,6 %)			
		19.07.2017 (06:00)	31.07.2017 (06:00)	yes	13.338.676 kWh/h (87,2%)			
		31.07.2017 (06:00)	07.08.2017 (06:00)	yes	12.882.501* kWh/h (84,2 %)			
		07.08.2017 (06:00)	19.08.2017 (06:00)	yes	12.779.701* kWh/h (83,5 %)			
		19.08.2017 (06:00)	20.08.2017 (06:00)	yes	13.338.676 kWh/h (87,2%)			
		20.08.2017 (06:00)	09.09.2017 (06:00)	yes	9.804.926 * kWh/h (64,1 %)			
		09.09.2017 (06:00)	27.09.2017 (06:00)	yes	13.338.676 kWh/h (87,2%)			

		27.09.2017 (06:00)	01.01.2018 (06:00)	yes	12.908.201 * kWh/h (84.4 %)			
		27.09.2017 (06:00)	01.12.2017 (06:00)	ja	12.908.201 * kWh/h (84.4 %)			
		01.12.2017 (06:00)	01.01.2018 (06:00)	ja	13.007.879* kWh/h (85 %)			
-	Wallbach	03.04.2017 (06:00)	11.04.2017 (06:00)	yes	8.801.646 kWh/h (57,5 %)	Planned maintenance works could impact capacities at affected entries/exits	TENP Pipeline	21018122
		11.04.2017 (06:00)	27.04.2017 (06:00)	yes	6.411.546 kWh/h (41,9%)			
		27.04.2017 (06:00)	05.05.2017 (06:00)	yes	6.771.346 kWh/h (44,3 %)			
		05.05.2017 (06:00)	15.05.2017 (06:00)	yes	8.653.871 kWh/h (56,6 %)			
		15.05.2017 (06:00)	03.06.2017 (06:00)	yes	8.088.471 kWh/h (52,9 %)			
		03.06.2017 (06:00)	07.08.2017 (06:00)	yes	8.416.146 kWh/h (55 %)			
		07.08.2017 (06:00)	26.08.2017 (06:00)	yes	5.049.446 kWh/h (33 %)			
		26.08.2017 (06:00)	01.09.2017 (06:00)	yes	8.416.146 kWh/h (55 %)			
		01.09.2017 (06:00)	09.09.2017 (06:00)	yes	6.931.971 kWh/h (45,3 %)			

					8.416.146 kWh/h (55 %)			
		09.09.2017 (06:00)	14.09.2017 (06:00)	yes	8.371.171 kWh/h (54,7 %) 8.416.146 kWh/h (55 %)			
		14.09.2017 (06:00)	15.09.2017 (06:00)	yes	8.358.321 kWh/h (54,6 %) 8.441.846 kWh/h (55,2 %)			
		15.09.2017 (06:00)	01.10.2017 (06:00)	yes	8.441.846 kWh/h (55,2 %)			
		15.09.2017 (06:00)	18.09.2017 (06:00)	yes	8.441.846 kWh/h (55,2 %)			
		18.09.2017 (06:00)	27.09.2017 (06:00)	yes	8.358.321 kWh/h (54,6 %)			
		27.09.2017 (06:00)	30.09.2017 (06:00)	yes	8.358.321 kWh/h (54,6 %)			
		30.09.2017 (06:00)	01.10.2017 (06:00)	yes	8.441.846 kWh/h (55,2 %)			
		01.10.2017 (06:00)	01.04.2018 (06:00)	yes	8.583.196 kWh/h (56,1 %)			
-	Wallbach	11.04.2017 (06:00)	27.04.2017 (06:00)	yes	6.411.546 kWh/h (41,9%)	Planned maintenance works could impact capacities at affected entries/exits	TENP Pipeline	21018121
-	Wallbach	11.04.2017	27.04.2017	yes	6.411.546 kWh/h	Planned maintenance	TENP Pipeline	21018117

		(06:00)	(06:00)		(41,9%)	works in a compressor station could impact capacities at affected entries/exits		
		27.04.2017 (06:00)	05.05.2017 (06:00)	yes	6.771.346 kWh/h (44,3%)			
	Wallbach	18.04.2017 (06:00)	30.04.2017 (06:00)	not currently foreseeable	n/a	Planned maintenance works in a compressor station could impact capacities at affected entries/exits	OGE network	21018092
Bocholtz				not currently foreseeable	n/a			
Bocholtz	Wallbach	02.05.2017 (06:00)	08.07.2017 (06:00)	no	n/a	Planned maintenance works could impact capacities at affected entries/exits	TENP Pipeline	21018346
-	Wallbach	08.05.2017 (06:00)	10.06.2017 (06:00)	no	n/a	Planned maintenance works could impact capacities at affected entries/exits	TENP Pipeline	21018124
-	Wallbach	17.05.2017 (06:00)	03.06.2017 (06:00)	yes	8.088.471 kWh/h (52,9 %)	Planned maintenance works could impact capacities at affected entries/exits	TENP Pipeline	21018123
		03.06.2017 (06:00)	07.08.2017 (06:00)	yes	8.416.146 kWh/h (55 %)			
		07.08.2017 (06:00)	26.08.2017 (06:00)	yes	5.049.446 kWh/h (33 %)			
		26.08.2017 (06:00)	01.09.2017 (06:00)	yes	8.416.146 kWh/h (55 %)			
		01.09.2017 (06:00)	09.09.2017 (06:00)	yes	6.931.971 kWh/h (45,3 %) 8.416.146 kWh/h (55 %)			
		09.09.2017	14.09.2017	yes	8.371.171 kWh/h			

		(06:00)	(06:00)		(54,7%) 8.416.146 kWh/h (55 %)			
		14.09.2017 (06:00)	15.09.2017 (06:00)	yes	8.358.321 kWh/h (54,6%) 8.441.846 kWh/h (55,2 %)			
		15.09.2017 (06:00)	01.10.2017 (06:00)	yes	8.441.846 kWh/h (55,2 %)			
		15.09.2017 (06:00)	18.09.2017 (06:00)	yes	8.441.846 kWh/h (55,2 %)			
		18.09.2017 (06:00)	27.09.2017 (06:00)	yes	8.358.321 kWh/h (54,6 %)			
		27.09.2017 (06:00)	30.09.2017 (06:00)	yes	8.358.321 kWh/h (54,6 %)			
		30.09.2017 (06:00)	01.10.2017 (06:00)	yes	8.441.846 kWh/h (55,2 %)			
		01.10.2017 (06:00)	01.04.2018 (06:00)	yes	8.583.196 kWh/h (56,1 %)			
-	Wallbach	15.05.2017 (06:00)	29.05.2017 (06:00)	yes	8.088.471 kWh/h (52,9 %)	Unplanned maintenance works in a compressor station could impact capacities at affected entries/exits	TENP Pipeline	21018652
-	Wallbach	29.05.2017 (06:00)	03.06.2017 (06:00)	yes	8.088.471 kWh/h (52,9 %)	Planned maintenance works in a compressor station could impact capacities at affected	TENP Pipeline	21018110

						entries/exits		
	Wallbach			no	n/a	Planned maintenance works in a compressor station could impact restricted allocable capacities (RAC)	TENP Pipeline	21018761
Bocholtz		04.07.2017 (06:00)	05.07.2017 (06:00)	yes	12.953.176 kWh/h (84,7 %)			
Bocholtz	-	08.07.2017 (06:00)	31.07.2017 (06:00)	no	n/a	Unplanned maintenance works could impact restricted allocable capacities (RAC)	TENP Pipeline	21018927
		31.07.2017 (06:00)	07.08.2017 (06:00)	yes	12.882.501 kWh/h (84,2 %)			
		07.08.2017 (06:00)	19.08.2017 (06:00)	yes	12.779.701 kWh/h (83,5 %)			
		19.08.2017 (06:00)	20.08.2017 (06:00)	no	n/a			
		20.08.2017 (06:00)	09.09.2017 (06:00)	yes	9.804.926 kWh/h (64,1 %)			
		09.09.2017 (06:00)	27.09.2017 (06:00)	no	n/a			
		27.09.2017 (06:00)	01.04.2018 (06:00)	no	n/a			
-	Wallbach	08.07.2017 (06:00)	27.09.2017 (06:00)	no	n/a	Unplanned maintenance works could impact capacities at affected entries/exits		
		27.09.2017 (06:00)	01.04.2018 (06:00)	no	n/a			
Bocholtz	-	18.07.2017 (06:00)	19.07.2017 (06:00)	yes	10.036.226 kWh/h (65,6 %)	Planned maintenance works in a compressor station could impact restricted allocable	TENP Pipeline	21018833

						capacities (RAC)		
	Wallbach	31.07.2017 (06:00)	19.08.2017 (06:00)	no	n/a	Planned maintenance works in a compressor station could impact capacities at affected entries/exits	TENP Pipeline	21018107
Bocholtz		31.07.2017 (06:00)	07.08.2017 (06:00)	yes	12.882.501 kWh/h (84,2 %)	Planned maintenance works in a compressor station could impact restricted allocable capacities (RAC)		
		07.08.2017 (06:00)	19.08.2017 (06:00)	yes	12.779.701 kWh/h (83,5 %)			
-	Wallbach	07.08.2017 (06:00)	26.08.2017 (06:00)	yes	5.049.446 kWh/h (33 %)	Planned maintenance works in a compressor station could impact capacities at affected entries/exits	TENP Pipeline	21018118
Bocholtz	-	20.08.2017 (08:00)	09.09.2017 (06:00)	yes	9.804.926 * kWh/h (64,1 %)	Planned maintenance works in a compressor station could impact capacities at affected entries/exits. *the difference to the technical available capacity of 13.338.676 kWh/h represents a capacity restriction of restricted allocable capacities (RAC)	TENP Pipeline	21018106
Bocholtz		01.09.2017 (06:00)	15.09.2017 (06:00)	no	n/a	Planned maintenance works in a compressor station could impact capacities at affected entries/exits	TENP Pipeline	21018111
		18.09.2017 (06:00)	30.09.2017 (06:00)	no	n/a			

	Wallbach	01.09.2017 (06:00)	09.09.2017 (06:00)	yes	6.931.971 kWh/h (45,3 %)			
		09.09.2017 (06:00)	14.09.2017 (06:00)	yes	8.371.171 kWh/h (54,7 %)			
		14.09.2017 (06:00)	15.09.2017 (06:00)	yes	8.358.321 kWh/h (54,6 %)			
		18.09.2017 (06:00)	27.09.2017 (06:00)	yes	8.358.321 kWh/h (54,6 %)			
		27.09.2017 (06:00)	30.09.2017 (06:00)	yes	7.879.016 kWh/h (51,5 %)			
-	Wallbach	07.11.2017 (08:00)	07.11.2017 (18:00)	no	n/a	Planned maintenance works in a compressor station could impact capacities at affected entries/exits	TENP Pipeline	21018119
-	Wallbach	27.09.2017 (06:00)	01.01.2018 (06:00)	yes	7.879.016 kWh/h (51,5 %)	Due to ongoing, additional inspections on the TENP pipeline and the measures derived out of these inspections, transport capacities of Fluxys TENP at the IP Wallbach Exit and Bocholtz Entry may be impacted. The current firm technical available capacity is published on Electronic Data Platform and on Entso-g Transparency.	TENP Pipeline	21019101 (replaces maintenance 21018122, 21018123 and 21018927)
		27.09.2017 (06:00)	03.11.2017 (06:00)	yes	7.879.016 kWh/h (51,5 %)			
		03.11.2017 (06:00)	01.04.2019 (06:00)	no	There is no impact on the current firm technical available capacity at the IP Wallbach			

Bocholtz	-	01.01.2018 (06:00)	01.04.2018 (06:00)	yes	12.872.430* kWh/h (84,1%) 12.972.017* kWh/h (84,8%)	* The capacity reduction from 15.300.000 kWh/h to 13.431.405 kWh/h impacts only conditionally freely allocable capacities (cFAC).		
		01.04.2018 (06:00)	01.10.2018 (06:00)	yes	12.830.667* kWh/h (83,9%)	The capacity reduction from 13.431.405 kWh/h to 12.972.017/12.830.667 kWh/h impacts only restricted allocable capacities (RAC).		
		01.10.2018 (06:00)	01.01.2019 (06:00)	yes	12.972.017* kWh/h (84,8%)			
		01.01.2019 (06:00)	01.04.2019 (06:00)	yes	12.985.271* kWh/h (84,9%)	* The capacity reduction from 15.300.000 kWh/h to 13.322.584 kWh/h impacts only conditionally freely allocable capacities (cFAC). The capacity reduction from 13.322.584 kWh/h to 12.985.271 kWh/h impacts only restricted allocable capacities (RAC).		
Bocholtz		17.10.2017 (18:00)	21.10.2017 (06:00)	no		Unplanned maintenance works in a compressor station could impact capacities at affected entries/exits	TENP Pipeline	21019189