

ACCESS CODE FOR TRANSMISSION

Attachment C.2:

Operating rules for interruption and constraint of End User Domestic Exit Points

Table of Contents

ТА	BLE OF CONTENTS	2
1.	INTERRUPTION PROCEDURE	3
2.	CONSTRAINT PROCEDURE	3
3.	FAILURE OF INTERRUPTION OR CONSTRAINT PROCEDURE	4
4.	TESTING OF INTERRUPTION AND/OR CONSTRAINT CAPABILITY	4

1. Interruption procedure

An Interruption on an End User Domestic Exit Point is an (un)planned event for a certain limited period during which the TSO shall interrupt the interruptible capacity on the End User Domestic Exit Point and that causes the Grid User's available hourly interruptible capacity on the End User Domestic Exit Point to be less than the subscribed interruptible capacity on the End User Domestic Exit Point and can result in a revision of the hourly Confirmed Quantities.

In case of an End User Domestic Exit Point Interruption, the TSO shall:

- Use its reasonable endeavours to give timely notice of the End User Domestic Exit Point Interruption - at least before the Applicable Interruption/Constraint Leadtime - by sending a "TSO's Interruption Notice" via Edig@s to the Grid User(s) and the End User specifying the Interruption Start Period, the Interruption End Period, the concerned End User Domestic Exit Point, the direction and the remaining interruptible capacity,
- Apply an interruption on the related End User Domestic Exit Point that limits the total hourly interruptible capacity of the affected Grid Users,

Send a new TDT to notify the Grid Users of the revised hourly Confirmed Quantities at the End User Domestic Exit in accordance with the confirmation process as described in article 4 of Attachment C.1, if necessary.

Before the Interruption End Time, the TSO may issue a revised "TSO's Interruption Notice" in order to modify the Interruption End Time and/or the remaining interruptible capacity.

2. Constraint procedure

For the following procedure the information exchange between the TSO, the Grid User and the End User occurs by fax or email. In order to facilitate the communication process, the telephone may also be used between the concerned parties, but a fax will always be sent for confirmation.

A Constraint on an End User Domestic Exit Point is an (un)planned event for a certain limited period during which the TSO requests - for instance in case of Maintenance or Emergency - the End User to reduce its offtake <u>or its Injection</u> and that causes a reduction of the Grid User's available hourly capacity on the End User Domestic Exit Point and can result in a revision of the hourly Confirmed Quantities.

In case of an End User Domestic Exit Point Constraint, the TSO shall:

• Use its reasonable endeavours to give timely notice of the End User Domestic Exit Point Constraint - at least before the Applicable Interruption/Constraint Leadtime - by sending a "TSO's Constraint Notice" by fax to the Grid User(s) and End User using the appropriate Form as published on the Fluxys Belgium website specifying the Constraint Start Period, the Constraint End Period, the concerned End User Domestic Exit Point, the direction and the remaining capacity,

- Will apply a constraint on the related End User Domestic Exit Point that limits the total hourly capacity of the affected Grid Users,
- Send a new TDT to notify the Grid Users of the revised hourly Confirmed Quantities at the End User Domestic Exit in accordance with the confirmation process as described in this article 4 of Attachment C.1, if necessary.
- Before the Constraint End Time, the TSO may issue a revised "TSO's Constraint Notice" in order to modify the Constraint End Time and/or the remaining capacity.

3. Failure of Interruption or Constraint Procedure

The TSO verifies whether the End User has reduced its offtake <u>or Injection</u> as requested by the:

- "TSO's Interruption Notice", or
- "TSO's Constraint Notice"

In case the End User didn't reduce its offtake <u>or Injection</u> as requested, the TSO shall have the right to request the End User to immediately reduce its off take <u>or Injection</u>, as described in the Connection Agreement, pursuing the priority defined by the Competent Authority (or its enactment into Belgian law, as the case may be). The End User shall use its best efforts to respond to this request.

In the event that the End User does not respond to such request of the TSO to immediately reduce the required quantity of off take<u>or Injection</u>, the TSO has the right to physically reduce he required amount necessary under the emergency conditions.

4. Testing of interruption and/or constraint capability

The TSO, the Grid User and the End User may test the interruption procedure and the constraint procedure however without proceeding to the effective gas interruption. In case the test shows that one of the parties is not capable of applying the procedure of Article 1 or 2, either of the parties can request more frequent tests, up to five (5) per year. In case of failure after such a test, a process of evaluation and negotiation will be set up.

In case of testing of interruption and/or constraint capability, the same procedure shall be applied as described in Article 1 and 2, but the documents exchanged will state explicitly that the interruption or constraint is requested for testing